

Please fill out the details below and enclose a hard copy along with your orthotics.

Please send to: GMT Manufacturing, 16 Nuthatch Close, Stowmarket, Suffolk, IP14 5BF

## General Information

Order-ID:

Company Name:

Practitioner:

Date of Request:

Return Address:

### Service Required

Top Cover Replacement

New Top Cover Size

Loose Top Cover\*

### Material Required

Thickness - 3mm 6mm

Shore (20, 30, 35, 40)

Add Synthetic Leather

\*If only requiring a loose top cover, please email your completed form to: [support@gaitandmotion.co.uk](mailto:support@gaitandmotion.co.uk)

## Additional Requirements

<u>Heel</u>	<u>Left</u>	<u>Right</u>	<u>Forefoot</u>	<u>Left</u>	<u>Right</u>
Add/Replace Heel Pad			Remove Meta 1		
Add/Replace Heel Spur			Remove Meta 1-2		
Add/Replace PF pad			Remove Meta 2-4		
Increase Heel Raise by	mm	mm	Remove Meta 2-5		
Decrease Heel Raise by	mm	mm	Remove Meta 5		
Increase Heel wedge by	Deg	Deg	Add Meta 1 (EVA)		
Decrease Heel Wedge by	Deg	Deg	Add Meta 1-2 (EVA)		
<u>Metatarsal</u>			Add Meta 2-4 (EVA)		
Reduce Teardrop by	mm	mm	Add Meta 2-5 (EVA)		
Reduce T-Shape by	mm	mm	Add Meta 5 (EVA)		
Reduce Meta Bar by	mm	mm	<b>Phits+ Only</b>		
Increase Meta Bar by	mm	mm	1st Met Cut Out		
Increase Teardrop by	mm	mm	1st Ray Cut Out		
Increase T-Shape by	mm	mm	5th Met Cut Out		
<u>Midfoot</u>			5th Ray Cut Out		
Increase Arch Height by	mm	mm			
Decrease Arch Height by	mm	mm			
Remove Lateral Edge					

**If the modification you require is not stated above, please contact support@gaitandmotion.co.uk to discuss prior to sending back to us.**

**Please state the additional requirements below or use the template to draw your request.**

***Please note: If a requested modification is not possible, we will contact you to discuss prior to carrying out the work.***

